



600 South Andreasen Drive, Suite B, Escondido, CA 92029

Phone (760) 781-3338 yi.wang@zymaxusa.com

2010 Individual Isotope Analysis Price Summary

Effective Jan 15, 2010

Matrix	Analysis	TAT	Standard Price (US\$)	
Organics (CSIA)	¹³ C, ³⁷ Cl or D of dissolved or product chlorinated solvents	1 month	300 per sample	
	¹³ C or D of dissolved or product MTBE	1 month	300 per sample	
	¹³ C or D of dissolved or product BTEX, Alkanes, PAHs	1 month	300 per sample	
	¹³ C or D of organic fractions in meteorite	1 month	500 per sample	
	(Bulk)	¹³ C of crude, fuel, kerogen, wood, etc.	14 days	80 per sample
		D of crude, fuel, kerogen, wood, etc.	14 days	100 per sample
		³⁴ S of crude, fuel, kerogen, wood, etc.	14 days	100 per sample
	¹⁵ N of crude, fuel, kerogen, wood, etc.	14 days	100 per sample	
Gas (CSIA)	¹³ C of C ₁ , CO ₂ , C ₂ , C ₃ , n-C ₄ , i-C ₄ , n-C ₅ , i-C ₅ , or C ₆	1 month	70 per component	
	D of C ₁ , C ₂ , C ₃ , n-C ₄ , i-C ₄ , n-C ₅ , i-C ₅ , or C ₆	1 month	100 per component	
	³⁴ S of H ₂ S	1 month	100 per component	
Aqueous	D and ¹⁸ O of water by Elemental Analyzer	14 days	90 per sample	
	D or ¹⁸ O of water by Elemental Analyzer	14 days	60 per sample	
	¹⁵ N and ¹⁸ O of dissolved nitrate by Denitrifier Method*	1 month	350 per sample	
	¹⁵ N of dissolved ammonium or dissolved nitrate*	1 month	250 per sample	
	³⁴ S of dissolved sulfate or sulfide	1 month	150 per sample	
	³⁴ S and ¹⁸ O of dissolved sulfate	1 month	250 per sample	
	¹³ C of dissolved inorganic carbonate (DIC)	1 month	60 per sample	
	⁸⁷ Sr/ ⁸⁶ Sr analysis	1 month	CALL per sample	
	³ H Tritium analysis of water with electrolytic enrichment	1 month	CALL per sample	
Radiocarbon (¹⁴ C) analysis of DIC in water by AMS	1 month	CALL per sample		
Soil	¹³ C and ¹⁸ O of carbonate	14 days	100 per sample	
	¹³ C or ¹⁸ O of carbonate	14 days	50 per sample	
	³⁴ S of sulfide or sulfate	14 days	100 per sample	
	¹⁵ N of nitrate	14 days	80 per sample	
	¹⁵ N and ¹⁸ O of nitrate	14 days	150 per sample	

1. Some restriction may apply.
 2. Sampling supplies available upon request.
 3. Rush services available upon request, additional charges apply.
 4. Data interpreting and environmental forensic report are optional.
 5. Prices for other analyses and services available upon request.
- * Denitrifier Method with enhanced sensitivity requires only 100mL of nitrate sample water.